

Heavy Duty Cantilever Warehouse Racking Rust Resistant 8-20 Feet Height

Basic Information

Place of Origin: China
Brand Name: Qifei
Certification: ISO9001
Model Number: Cantilever
Minimum Order
10

 Minimum Order Quantity:

Price: \$10-15Packaging Details: Standard Export

Delivery Time: 20 days after deposit

• Payment Terms: 30% deposit, 70% before delivery

• Supply Ability: 8000ton/year



Product Specification

• Dimension: Different Sizes Are Available

Maximum Weight: 1500kgs

Rust: Surface Antirust

Surface Treatment: Powder Coated Or Galvanized

• Height: 8-20 Feet

Type: Cantilever Racking
 Types: Single Or Double Sided
 Usage: Heavy Duty Storage


Highlight: powder coated cantilever racking system,


cantilever warehouse racking Heavy Duty, rust resistant cantilever racking system



More Images







Product Description

Product Description:

Also called **H beam cantilever rack**, Mainly consists of column, base, arm, straight brace and "X" brace. **Features&Benefits**

- 1) Simple structure, easy and quick assembled and disassembled
- 2) Single and double sided configuration available
- 3) Mainly used for the storage of long stuff such as rolled section steel, steel tube, plates, wire lines and so on.
- 4) Bolted arm and base connection
- 5) Made of H type steel or cold rolling steel or frame or square tube
- 6) Loading and unloading of goods can be done manually or by forklifts.
- 7) Selective: direct access to each goods
- 8) The height of cantilever racking is usually lower than 2500mm; Length of arm is shorter than 1200mm, and loading capacity is no more than 1200kg per arm.
- 9) Cantilever racking is mainly used in the Mechanical Manufacturing Industry and markets for building materials.

Features:

This Cantilever rack is perfect for storing long, bulky items such as lumber, pipes, and tubing With its cantilever arm design, it allows for easy access to all stored items.

Available in different sizes and with 2-5 levels, this Cantilever storage rack can be customized to fit your specific needs.

It is powder coated or galvanized to provide surface antirust protection, ensuring its durability and longevity.

Technical Parameters:

Level	2-5 Levels
Maximum Weight	1500kgs
Surface Treatment	Powder Coated Or Galvanized
Base Length	1100mm-2100mm Or Customized
Height	8-20 Feet
Depth	36-48 Inches
Rust	Surface Antirust
Usage	Heavy Duty Storage
Number Of Arms	3-6
Color	Customized

Support and Services:

The Cantilever Racking product technical support and services provided include:

- Assistance with installation and assembly
- Troubleshooting and problem-solving
- Maintenance and repair services
- Training on proper use and safety precautions
- Consultation on custom design and configuration
- Upgrades and modifications for existing systems

Packing and Shipping:

Product Packaging:

The Cantilever Racking product will be packaged with Wrapped film and wooden pad to ensure safe transportation. The product will be disassembled and all necessary hardware will be included in the package along with an instruction manual.



Shipping:

The Cantilever Racking product will be shipped via a trusted shipping carrier.

Once the product is shipped, a tracking number will be provided to the customer so they can track their package during







MOT AS YOUR REQUEST

AIR FREIGHT FOR URGENT Transit time:5-7 days

OCEAN SHIPPING NORMALLY Transit time: 15-40 days



Jiangsu Qifei Intelligent Storage Equipment Co., Ltd.



+86-15161451461



sharonyan@qifeirack.com



warehouse-rackings.com

Add: #739 Dixiu Road Jiangning District Nanjing China